CLMPTO

AYC

06/06/02

PLEASE AMEND CLAIMS 5 AND 6, 19-21.

1. A light emitting device including an OLED, a first wiring, a second wiring, a first TFT, and a second TFT, wherein:

a pixel electrode of the OLED is connected with the first wiring through the first TFT;

the pixel electrode is connected with the second wiring through the second TFT; and

when one of the first TFT and the second TFT is in an on state, the other is in an off state.

2. A light emitting device including an OLED, a first wiring, a second wiring, a first TFT, and a second TFT, wherein:

a pixel electrode of the OLED is connected with the first wiring through the first TFT;

the pixel electrode is connected with the second wiring through the second TFT;

one of the first TFT and the second TFT is a p-channel TFT and the other is an n-channel TFT; and

a gate electrode of the first TFT and a gate electrode of the second TFT are connected with each other.

3. A light emitting device including an OLED, a power source line, a discharge line, a first TFT, and a second TFT, wherein:

a pixel electrode of the OLED is connected with the power source line through the first TFT;

the pixel electrode is connected with the discharge line through the second TFT; and

when one of the first TFT and the second TFT is in an on state, the other is in an off state.

4. A light emitting device including an OLED, a power source line, a discharge line, a first TFT, and a second TFT, wherein:

a pixel electrode of the OLED is connected with the power source line through the first TFT;

the pixel electrode is connected with the discharge line through the second TFT;

one of the first TFT and the second TFT is a p-channel TFT and the other is an n-channel TFT; and

a gate electrode of the first TFT and a gate electrode of the second TFT are connected with each other.

5 (Amended). A light emitting device according to claim 1, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

6 (Amended). A light emitting device according to claim 1, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

7. A light emitting device including a signal line, a scan line, an OLED, a power source line, a discharge line, a first TFT, a second TFT, and a third TFT, wherein:

switching of the third TFT is controlled by a potential of the scan line;

when the third TFT is in an on state, a digital video signal inputted to the signal line is inputted to a gate electrode of the first TFT and a gate electrode of the second TFT;

a pixel electrode of the OLED is connected with the power source line through the first TFT;

the pixel electrode is connected with the discharge line through the second TFT;

switchings of the first TFT and the second TFT are controlled by the digital video signal; and

when one of the first TFT and the second TFT is in an on state, the other is in an off state.

8. A light emitting device including a signal line, a scan line, an OLED, a power source line, a discharge line, a first TFT, a second TFT, and a third TFT, wherein:

switching of the third TFT is controlled by a potential of the scan line;

when the third TFT is in an on state, a digital video signal inputted to the signal line is inputted to a gate electrode of the first TFT and a gate electrode of the second TFT;

the pixel electrode of the OLED is connected with the power source line through the first TFT;

the pixel electrode is connected with the discharge line through the second TFT;

switchings of the first TFT and the second TFT are controlled by the digital video signal;

one of the first TFT and the second TFT is a p-channel TFT and the other is an n-channel TFT; and

the gate electrode of the first TFT and the gate electrode of the second TFT are connected with each other.

9. A light emitting device including a signal line, a first scan line, a second scan line, an OLED, a power source line, a discharge line, a first TFT, a second TFT, a third TFT, and a fourth TFT, wherein:

switching of the third TFT is controlled by a potential of the first scan line;

switching of the fourth TFT is controlled by a potential of the second scan line;

when the third TFT is in an on state, a digital video signal inputted to the signal line is inputted to a gate electrode of the first TFT and a gate electrode of the second TFT;

when the fourth TFT is in an on state, a potential of the power source line is applied to the gate electrode of the first TFT and the gate electrode of the second TFT;

a pixel electrode of the OLED is connected with the power source line through

the first TFT;

the pixel electrode is connected with the discharge line through the second TFT;

switchings of the first TFT and the second TFT are controlled by the digital video signal; and

when one of the first TFT and the second TFT is in an on state, the other is in an off state.

10. A light emitting device including a signal line, a first scan line, a second scan line, an OLED, a power source line, a discharge line, a first TFT, a second TFT, a third TFT, and a fourth TFT, wherein:

switching of the third TFT is controlled by a potential of the first scan line;

switching of the fourth TFT is controlled by a potential of the second scan line;

when the third TFT is in an on state, a digital video signal inputted to the signal line is inputted to a gate electrode of the first TFT and a gate electrode of the second TFT;

when the fourth TFT is in an on state, a potential of the power source line is applied to the gate electrode of the first TFT and the gate electrode of the second TFT;

a pixel electrode of the OLED is connected with the power source line through the first TFT;

the pixel electrode is connected with the discharge line through the second TFT;

switchings of the first TFT and the second TFT are controlled by the digital video signal;

one of the first TFT and the second TFT is a p-channel TFT and the other is an n-channel TFT; and

the gate electrode of the first TFT and the gate electrode of the second TFT are connected with each other.

11. A light emitting device in which a plurality of pixels are provided, each of the pixels including a signal line, a scan line, an OLED, a power source line, a first TFT, a second TFT, and a third TFT, wherein: in each pixels,

when the third TFT is in an on state, a digital video signal inputted to the signal line is inputted to a gate electrode of the first TFT and a gate electrode of the second TFT;

a pixel electrode of the OLED is connected with the power source line through the first TFT;

the pixel electrode is connected with the scan line of another pixel through the second TFT;

switchings of the first TFT and the second TFT are controlled by the digital video signal;

when one of the first TFT and the second TFT is in an on state, the other is in an off state; and

the third TFT and the second TFT has the same polarity.

12. A light emitting device in which a plurality of pixels are provided, each of the pixels including a signal line, a scan line, an OLED, a power source line, a first TFT, a second TFT, and a third TFT, wherein: in each pixel,

switching of the third TFT is controlled by a potential of the scan line;

when the third TFT is in an on state, a digital video signal inputted to the signal

line is inputted to a gate electrode of the first TFT and a gate electrode of the second TFT;

a pixel electrode of the OLED is connected with the power source line through the first TFT;

the pixel electrode is connected with the scan line of another pixel through the second TFT;

switchings of the first TFT and the second TFT are controlled by the digital video signal;

one of the first TFT and the second TFT is a p-channel TFT and the other is an n-channel TFT;

the third TFT and the second TFT have the same polarity; and

the gate electrode of the first TFT and the gate electrode of the second TFT are connected with each other.

13. A light emitting device including an OLED, a power source line, a discharge line, a first TFT, and a second TFT, wherein:

the OLED has a pixel electrode, a counter electrode, and an organic light emitting layer formed between the pixel electrode and the counter electrode;

when a potential of the counter electrode is lower than that of the power source line, a potential of the discharge line is lower than that of the power source line;

when a potential of the counter electrode is higher than that of the power source line, a potential of the discharge line is higher than that of the power source line;

the pixel electrode is connected with the power source line through the first TFT;

the pixel electrode is connected with the discharge line through the second TFT; and

when one of the first TFT and the second TFT is in an on state, the other is in an off state.

14. A light emitting device including an OLED, a power source line, a discharge line, a first TFT, and a second TFT, wherein:

the OLED has a pixel electrode, a counter electrode, and an organic light emitting layer formed between the pixel electrode and the counter electrode;

a potential of the counter electrode is lower than that of the power source line;

a potential of the discharge line is lower than that of the power source line;

the pixel electrode of the OLED is connected with the power source line through the first TFT;

the pixel electrode is connected with the discharge line through the second TFT;

the first TFT is a p-channel TFT and the second TFT is an n-channel TFT; and

a gate electrode of the first TFT and a gate electrode of the second TFT are connected with each other.

15. A light emitting device including an OLED, a power source line, a discharge line, a first TFT, and a second TFT, wherein:

the OLED has a pixel electrode, a counter electrode, and an organic light emitting layer formed between the pixel electrode and the counter electrode;

a potential of the counter electrode is higher than that of the power source line;

a potential of the discharge line is higher than that of the power source line;

the pixel electrode of the OLED is connected with the power source line through the first TFT;

the pixel electrode is connected with the discharge line through the second TFT;

the first TFT is a p-channel TFT and the second TFT is an n-channel TFT; and

a gate electrode of the first TFT and a gate electrode of the second TFT are connected with each other.

16. A light emitting device including an OLED, a power source line, a discharge line, a first TFT, and a second TFT, wherein:

the OLED has a pixel electrode, a counter electrode, and an organic light emitting layer formed between the pixel electrode and the counter electrode;

the counter electrode and the discharge line are kept at the same potential;

the pixel electrode is connected with the power source line through the first TFT;

the pixel electrode is connected with the discharge line through the second TFT; and

when one of the first TFT and the second TFT is in an on state, the other is in an off state.

17. A light emitting device including an OLED, a power source line, a discharge line, a first TFT, and a second TFT, wherein:

the OLED has a pixel electrode, a counter electrode, and an organic light emitting layer formed between the pixel electrode and the counter electrode;

the counter electrode and the discharge line are kept at the same potential;

a potential of the counter electrode and a potential of the discharge line are lower than that of the power source line;

the pixel electrode of the OLED is connected with the power source line through the first TFT;

the pixel electrode is connected with the discharge line through the second TFT;

the first TFT is a p-channel TFT and the second TFT is an n-channel TFT; and

a gate electrode of the first TFT and a gate electrode of the second TFT are connected with each other.

18. A light emitting device including an OLED, a power source line, a discharge line, a first TFT, and a second TFT, wherein:

the OLED has a pixel electrode, a counter electrode, and an organic light emitting layer formed between the pixel electrode and the counter electrode;

the counter electrode and the discharge line are kept at the same potential;

a potential of the counter electrode and a potential of the discharge line are higher than that of the power source line;

the pixel electrode of the OLED is connected with the power source line through the first TFT;

the pixel electrode is connected with the discharge line through the second TFT;

the first TFT is a p-channel TFT and the second TFT is an n-channel TFT; and

a gate electrode of the first TFT and a gate electrode of the second TFT are connected with each other.

Please add the following new claims:

22 (New). A light emitting device according to claim 2, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

23 (New). A light emitting device according to claim 3, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

24 (New). A light emitting device according to claim 4, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

256 (New). A light emitting device according to claim 2, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

26 (New). A light emitting device according to claim 3, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

27 (New). A light emitting device according to claim 4, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

28 (New). A light emitting device according to claim 14, wherein the organic light emitting layer contains an organic light emitting material in which phosphororescence from a triplet excitation can be utilized for producing light emission.

29 (New). A light emitting device according to claim 15, wherein the organic light emitting layer contains an organic light emitting material in which phosphororescence from a triplet excitation can be utilized for producing light emission.

30 (New). A light emitting device according to claim 16, wherein the organic light emitting layer contains an organic light emitting material in which phosphororescence from a triplet excitation can be utilized for producing light emission.

31 (New). A light emitting device according to claim 17, wherein the organic light emitting layer contains an organic light emitting material in which phosphororescence from a triplet excitation can be utilized for producing light emission.

32 (New). A light emitting device according to claim 18, wherein the organic light emitting layer contains an organic light emitting material in which phosphororescence from a triplet excitation can be utilized for producing light emission.

33 (New). A light emitting device according to claim 8, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

34 (New). A light emitting device according to claim 9, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

35 (New). A light emitting device according to claim 10, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

36 (New). A light emitting device according to claim 11, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

37 (New). A light emitting device according to claim 12, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

37 (New). A light emitting device according to claim 12, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

38 (New). A light emitting device according to claim 13, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

39 (New). A light emitting device according to claim 14, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

40 (New). A light emitting device according to claim 15, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

41 (New). A light emitting device according to claim 16, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

42 (New). A light emitting device according to claim 17, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

43 (New). A light emitting device according to claim 18, wherein switchings of the first TFT and the second TFT are controlled by a digital video signal.

44 (New). A light emitting device according to claim 8, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

45 (New). A light emitting device according to claim 9, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

46 (New). A light emitting device according to claim 10, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

47 (New). A light emitting device according to claim 11, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

48 (New). A light emitting device according to claim 12, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

49 (New). A light emitting device according to claim 13, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

50 (New). A light emitting device according to claim 14, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

51 (New). A light emitting device according to claim 15, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

52 (New). A light emitting device according to claim 16, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

53 (New). A light emitting device according to claim 17, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.

54 (New). A light emitting device according to claim 18, wherein the light emitting device is incorporated into an electronic appliance selected from the group consisting of a video camera, a digital camera, a goggle type display, a navigation system, an audio reproducing device, a lap-top computer, a game machine, a portable information terminals and an image producing device.